





Product Description

Loft Prime Natural is an upgrade of our bestselling Loft Natural engineered wood range. This range is a classic blend of honey and oak tones creating the perfect wood look.

Lacquered engineered wood flooring offers a sleek, glossy finish that enhances the wood's natural beauty while providing a strong protective layer. The lacquer coating makes the floor more resistant to scratches, stains, and moisture, ensuring long-lasting durability and easy maintenance. This finish creates a smooth, high-gloss appearance that brightens a space and adds a sophisticated, polished look. It's a great choice for high-traffic areas, as it requires minimal upkeep—just regular cleaning and occasional re-coating to maintain its protective layer.

Prime grade engineered wood flooring offers a sleek, uniform appearance with minimal imperfections. It features consistent grain patterns, few knots, and little color variation, making it ideal for a modern, sophisticated look. This high-quality grade ensures a smooth, polished finish and enhances durability, making it a top choice for those seeking a refined, elegant floor with lasting performance.



| Range Details | Properties | Technical Data | Technical Specification |
|---------------|------------------------|----------------------|----------------------------|
| Finish | Smooth Lacquered Oiled | Fire Certification | Dfl-S1 |
| Species | Oak | Slip Resistance | NPD |
| Grade | Prime | Thermal Conductivity | 0,16W/mK |
| Veneer | 3mm | Wear Resistance | USRV22 |
| Thickness | 14mm | PCP Content | Not Detected |
| Board Width | 150mm | Formaldehyde Rating | EI (0,2mg/m3) |
| Board Length | 300 - 1200mm | VOC Emissions Rating | Test Method: YC/T 207-2014 |
| Pack Coverage | 1.44 m² | | |
| Wood Origin | France | | |

| Installation Guidance | Properties | |
|----------------------------------|-------------------|--|
| Fitting System | Tongue and Groove | |
| Recommended Underlay | Timberlay Gold | |
| Expansion Gap | 10 mm | |
| Suitable For Underfloor Heating? | Yes | |
| Acclimatisation Time | 48 Hours | |

Room Suitability











